



Thule Rapid System Kit 4074

Thule Podium Kit 4074

> Instructions

RENAULT Megané (Mk. IV), 5-dr Estate, 16-

This kit is only for vehicles with flush side railing.

The diagram illustrates the contents of the Thule Rapid System Kit 4074 and the weight limits for installation. It includes a warning icon, two instruction manuals (A and B), a safety checklist, and a silhouette of a person reading the instructions. Below this, a weight calculation is shown: a bag labeled 'xx kg / xx lbs' plus a bar labeled '5 kg / 11 lbs' equals a maximum weight of '75 kg / 165 lbs'. To the right, a speedometer diagram shows the recommended speed range for use: 40 km/h (25 Mph) to 80 km/h (50 Mph), with a warning icon indicating that speeds above 80 km/h (50 Mph) are not recommended.

Contents:

- Warning icon
- Instruction manual A
- Instruction manual B
- Safety checklist
- Person reading instructions

Weight Limits:

xx kg / xx lbs + 5 kg / 11 lbs = Max. 75 kg / 165 lbs

Speed Limits:


40 km/h (25 Mph) to 80 km/h (50 Mph)

ISO 11154-E


184074

C.20160320
509-4074-01

Bring your life
thule.com



x4




x1




x1

1




Thule Rapid System Foot Pack 753/7531


Thule Podium Foot Pack 460/460R



1




2
1/4



3

2



EN Only a few turns
DE Nur wenige Umdrehungen
FR Quelques tours uniquement
NL Slechts enkele slagen
IT Solo qualche giro
ES Sólo algunas vueltas
PT Apenas algumas voltas
SV Endast några varv
DK Kun nogle få omgange
NO Bare noen få omdreininger
FI Vain muutama kierros



ET Ainult mõni pööre
LV Tikai daži apgriezieni
LT Tik keli pasukimai
PL Wystarczy kilka obrotów
RU Только несколько оборотов
UK Лише декілька обертів
BG Само няколко завъртания
CS Pouze několik otáček
SK Len niekoľko otáčok
SL Le nekaj obratov
HR/BiH Samo nekoliko okreta
RO Doar câteva rotiri
HU Csak néhány fordítás
EL Μόνο λίγες περιστροφές
TR Yalnızca birkaç tur

بعض دورات فقط
רק מספר סובובים




AR
HE

ZH 仅几圈
JA 2～3回転のみ
KO 몇 번만 돌리면 됨
TH เพียงสองสามรอบ



3



4



~ 700 mm



5

- | | | | |
|-----------|---|---------------|---|
| EN | Tighten alternately | UK | Затягти по чергово |
| DE | Die Schrauben abwechselnd anziehen | BG | Затегнете последователно |
| FR | Serrer alternativement chaque côté | CS | Pokřetla багажníka dokřečaj dokřečaj naprzemiennie. |
| NL | Afwisselend aan de linker- en de rechterkant aandraaien | SK | Dotahujte striedavo |
| IT | Alternare il serraggio delle viti | SL | Privijajte izmenično |
| ES | Apretar alternativamente | HR/BiH | Naizmjenično zategnite |
| PT | Aperte alternadamente | RO | Strângeți alternativ |
| SV | Dra åt växelvis | HU | Egymástól függetlenül szorítandó |
| DK | Spænd skiftevis | EL | Σφιγγετε εναλλάξ |
| NO | Trekk til vekselvis | TR | Dönüşümlü sıkın |
| FI | Kierrä vuorotellen | | |
| ET | Pinguldage vaheldumisi | | |
| LV | Pievelciet pamīšus | | |
| LT | Užsukinėkite pakaitomis | | |
| PL | Śruby dokręcaj naprzemiennie | | |
| RU | Затягивайте попеременно | | |

إحكام الربط بالتناوب **AR**

חזק לסירוגין **HE**

ZH 交替拧紧

JA 左右交互に締めつけてください

KO 번갈아 조이기

TH ขั้วในแบบสลับ

