

Kit 1430


NISSAN Frontier, 4-dr Crew Cab Pickup, 05-15

NISSAN Frontier, 4-dr King Cab Pickup, 05-15



NISSAN King Cab, 4-dr Pickup Double Cab, 05-15

NISSAN Navara, 4-dr Pickup Double Cab, 05-15


NISSAN Pathfinder, 5-dr SUV, 05-12



754 Rapid System
480R Rapid Traverse (North America)



480 Traverse (North America)



**Max.
75 kg**
**Max.
165 lbs**

80 km/h
50 Mph 130 km/h
80 Mph
40 km/h
25 Mph
**km/h
Mph**

THULE
Kit XXXX
instructions
THULE

x1
754 Rapid System
x4
480R Rapid Traverse (North America)
x4 **x4**

754 Rapid System
480R Rapid Traverse (North America)

x1
x4 **x4**
x4

480 Traverse (North America)

(North America)


- Bar (x2)
- Tube 23mm (x2)
- Tube 23mm (x2)
- Bolt (x4)
- Tube 17mm (x1)
- Tube 23mm (x2)
- Tube 23mm (x2)
- Bolt (x4)
- Tube 23mm (x2)
- Tube 23mm (x2)
- Bar (x2)

864 **x4**
174 **x4**
x1

RR → FR
← FL ← RL

Kit



1






2






754 Rapid System
480R Rapid Traverse
(North America)



x4





x4



x4




480 Traverse
(North America)





x4

3



754 Rapid System



	X
NISSAN Frontier, 4-dr Crew Cab Pickup, 05-15	46,5
NISSAN Frontier, 4-dr King Cab Pickup, 05-15	46,5
NISSAN King Cab, 4-dr Pickup Double Cab, 05-15	46,5
NISSAN Navara, 4-dr Pickup Double Cab, 05-15	46,5
NISSAN Pathfinder, 5-dr SUV, 05-12	46,5

	Y
NISSAN Frontier, 4-dr Crew Cab Pickup, 05-15	45
NISSAN Frontier, 4-dr King Cab Pickup, 05-15	45
NISSAN King Cab, 4-dr Pickup Double Cab, 05-15	45
NISSAN Navara, 4-dr Pickup Double Cab, 05-15	45
NISSAN Pathfinder, 5-dr SUV, 05-12	45

3







480R Rapid Traverse



480 Traverse




(North America)



	X inch	X mm
NISSAN Frontier, 4-dr Crew Cab Pickup, 05-15	43 ⁷/₈ "	1116 mm
NISSAN Frontier, 4-dr King Cab Pickup, 05-15	43 ⁷/₈ "	1116 mm
NISSAN King Cab, 4-dr Pickup Double Cab, 05-15	43 ⁷/₈ "	1116 mm
NISSAN Navara, 4-dr Pickup Double Cab, 05-15	43 ⁷/₈ "	1116 mm
NISSAN Pathfinder, 5-dr SUV, 05-12	43 ⁷/₈ "	1116 mm



	Y inch	Y mm
NISSAN Frontier, 4-dr Crew Cab Pickup, 05-15	43 ³/₈ "	1101 mm
NISSAN Frontier, 4-dr King Cab Pickup, 05-15	43 ³/₈ "	1101 mm
NISSAN King Cab, 4-dr Pickup Double Cab, 05-15	43 ³/₈ "	1101 mm
NISSAN Navara, 4-dr Pickup Double Cab, 05-15	43 ³/₈ "	1101 mm
NISSAN Pathfinder, 5-dr SUV, 05-12	43 ³/₈ "	1101 mm

4





5






NISSAN Frontier, 4-dr Crew Cab Pickup, 05-15
NISSAN Frontier, 4-dr King Cab Pickup, 05-15
NISSAN King Cab, 4-dr Pickup Double Cab, 05-15
NISSAN Navara, 4-dr Pickup Double Cab, 05-15
NISSAN Pathfinder, 5-dr SUV, 05-12




6



	X mm	Y mm	X inch	Y inch
NISSAN Frontier, 4-dr Crew Cab Pickup, 05-15	260 mm	750 mm	10 1/4"	29 1/2"
NISSAN Frontier, 4-dr King Cab Pickup, 05-15	260 mm	610 mm	10 1/4"	24"
NISSAN King Cab, 4-dr Pickup Double Cab, 05-15	260 mm	750 mm	10 1/4"	29 1/2"
NISSAN Navara, 4-dr Pickup Double Cab, 05-15	260 mm	750 mm	10 1/4"	29 1/2"
NISSAN Pathfinder, 5-dr SUV, 05-12	260 mm	750 mm	10 1/4"	29 1/2"



7



GB/US Tighten alternately
D Die Schrauben abwechselnd anziehen
F Serrer alternativement chaque côté
NL Afwisselend aan de linker- en de rechterkant aandraaien
I Alternare il serraggio delle viti
E Apertar alternativamente
PT Aperte alternadamente
S Dra åt växelvis
FIN Kierrä vuorotellen
EST Pinguldage vaheldumisi
LAT Pieļieciet pamišus
LIT Užsukinėkite pakaitomis
PL Śruby dokręcaj naprzemiennie
RU Затягивайте попеременно



CZ Pokręťta bagażnika dokręcaj naprzemiennie.
SK Dofahajte striedavo
SLO Privijajte izmenično.
HR Naizmjenočno zategnite
HU Egymástól függetlenül szorítandó
GR Σφιγίγες εναλλάξ
TR Dönüşümlü sıkın

中文 交替拧紧

한국어 번갈아 가며 조이십시오.

日本語 交互に締め付けてください。



ไทย ชันในแบบสลับ






8




x1
17 mm






THULE
SWEDEN
**ONE
KEY
SYSTEM**



		(x4)
		(x6)
		(x8)
NA		(x10)
EUR		(x12)
ASIA		



WW ▶ Thule Sweden AB, Box 69, 330 33 Hillerstorp, SWEDEN
NA ▶ Thule Inc., 42 Silvermine Road, Seymour, Connecticut 06483, USA

info@thule.com
customer.service@thule.com

www.thule.com



www.thule.com






customer.service@thule.com

info@thule.com




Thule Inc., 42 Silvermine Road, Seymour, Connecticut 06483, USA
Thule Sweden AB, Box 69, 330 33 Hillerstorp, SWEDEN





8

x2
25mm






7

≈ 3 Nm

- CZ Pokreťa bagazníka dokrecaj dokrecaj naprezníemnie.
- SK Dotiahnuť striedavo Priviaje izmenično.
- SLO Priviaje izmenično. Nájzmenično zategnitie.
- HU Egymástól függetlenül szorítandó.
- GR Zephyerte evadák Dönüştürmlü silkin
- TR Alternatif olarak kullanılmamalıdır.
- 中文 交替拧紧
- 한국어 번갈아 가며 조이십시오.
- 日本語 交互に締め付けてください。
- ไทย ไขสกรูสลับกัน



- GB/US Tighten alternately Die Schrauben abwechselnd anziehen
- F Serrer alternativement chaque côté
- NL Afwisselend aan de linker- en de rechterkant aandraaien
- I Alternare il serraggio delle viti
- E Aperte alternativamente
- PT Aperte alternadamente
- S Dra åt växelvis
- FIN Kierrä vuorotellen
- EST Pinguldage vaheldumisi
- LAT Pevicīet pārtīvis
- LIT Užsukinėkite pakaitomis
- PL Uszukięć naprzemiennie
- RU Затягивайте попеременно










260 mm	750 mm	10 1/4"	29 1/2"	NISSAN Pathfinder, 5-dr SUV, 05-12
260 mm	750 mm	10 1/4"	29 1/2"	NISSAN Navara, 4-dr Pickup Double Cab, 05-15
260 mm	750 mm	10 1/4"	29 1/2"	NISSAN King Cab, 4-dr Pickup Double Cab, 05-15
260 mm	610 mm	10 1/4"	24"	NISSAN Frontier, 4-dr King Cab Pickup, 05-15
260 mm	750 mm	10 1/4"	29 1/2"	NISSAN Frontier, 4-dr Crew Cab Pickup, 05-15

X mm Y mm X inch Y inch












6




C

B

A



- NISSAN Frontier, 4-dr Crew Cab Pickup, 05-15
- NISSAN Frontier, 4-dr King Cab Pickup, 05-15
- NISSAN King Cab, 4-dr Pickup Double Cab, 05-15
- NISSAN Navara, 4-dr Pickup Double Cab, 05-15
- NISSAN Pathfinder, 5-dr SUV, 05-12






NISSAN Pathfinder, 5-dr SUV, 05-12	43 3/8"	1101 mm
NISSAN Navara, 4-dr Pickup Double Cab, 05-15	43 3/8"	1101 mm
NISSAN King Cab, 4-dr Pickup Double Cab, 05-15	43 3/8"	1101 mm
NISSAN Frontier, 4-dr King Cab Pickup, 05-15	43 3/8"	1101 mm
NISSAN Frontier, 4-dr Crew Cab Pickup, 05-15	43 3/8"	1101 mm

Y inch/mm


NISSAN Pathfinder, 5-dr SUV, 05-12	43 7/8"	1116 mm
NISSAN Navara, 4-dr Pickup Double Cab, 05-15	43 7/8"	1116 mm
NISSAN King Cab, 4-dr Pickup Double Cab, 05-15	43 7/8"	1116 mm
NISSAN Frontier, 4-dr King Cab Pickup, 05-15	43 7/8"	1116 mm
NISSAN Frontier, 4-dr Crew Cab Pickup, 05-15	43 7/8"	1116 mm

X inch/mm



-  x1 5mm
-  x4
-  x4
-  x2
-  x2







2



1

Kit

503-1430-05





instructions

Kit 1430

- NISSAN Frontier, 4-dr Crew Cab Pickup, 05-15
- NISSAN Frontier, 4-dr King Cab Pickup, 05-15
- NISSAN King Cab, 4-dr Pickup Double Cab, 05-15
- NISSAN Navara, 4-dr Pickup Double Cab, 05-15
- NISSAN Pathfinder, 5-dr SUV, 05-12

480R
754



ISO 11154-E

THULE
SWEDEN
PROFESSIONAL