

Kit 1212




AUDI A4, 4-dr Sedan, 01-04, 05-07 / *02-08

AUDI RS4, 4-dr Sedan, *04-08

AUDI S4, 4-dr Sedan, *04-08

SEAT Exeo, 4-dr Sedan, 09-

*North America



Max. 75kg
Max. 165 lbs

x1

x4

x4

x4
 x4

480R/754

x1

x4

x4

x4

x4

480

x1

x4

x4

x4

x4

750

x2 x2 x2 x4	x2	x2 x2 x4 x4	x2 x2	x2




389 x 4

07 x 4



x 1

Kit











	X
AUDI A4, 4-dr Sedan, 01-04, 05-07 / *02-08	34,5
AUDI RS4, 4-dr Sedan, *04-08	34,5
AUDI S4, 4-dr Sedan, *04-08	34,5
SEAT Exeo, 4-dr Sedan, 09-	34,5



	Y
AUDI A4, 4-dr Sedan, 01-04, 05-07 / *02-08	31
AUDI RS4, 4-dr Sedan, *04-08	31
AUDI S4, 4-dr Sedan, *04-08	31
SEAT Exeo, 4-dr Sedan, 09-	31







	X inch	X mm
AUDI A4, 4-dr Sedan, 01-04, 05-07 / *02-08	39 1/4"	996 mm
AUDI RS4, 4-dr Sedan, *04-08	39 1/4"	996 mm
AUDI S4, 4-dr Sedan, *04-08	39 1/4"	996 mm
SEAT Exeo, 4-dr Sedan, 09-	39 1/4"	996 mm









	Y inch	Y mm
AUDI A4, 4-dr Sedan, 01-04, 05-07 / *02-08	37 7/8"	961 mm
AUDI RS4, 4-dr Sedan, *04-08	37 7/8"	961 mm
AUDI S4, 4-dr Sedan, *04-08	37 7/8"	961 mm
SEAT Exeo, 4-dr Sedan, 09-	37 7/8"	961 mm





4



5



6



GB/US Tighten alternately

D Die Schrauben abwechselnd anziehen

F Serrer alternativement chaque côté

NL Afwisselend aan de linker- en de rechterkant aandraaien

I Alternare il serraggio delle viti

E Serrare alternativamente

PT Aperte alternadamente

S Dra åt växelvis

FIN Kierrä vuorotellen

EST Pinguldage vaheldumisi

LAT Pielveiciet pamišus

LIT Užsukinėkite pakaitomis

PL Śruby dokręcaj naprzemiennie

RU Затягивайте попеременно

CZ Pokręťta bagażníka dokręcaj dokręcaj naprzemiennie.

SK Doťahujte striedavo

SLO Privijajte izmenično.

HR Naizmjenično zategnite

HU Egymástól függetlenül szorítandó

GR Σφίγγετε εναλλάξ

TR Dönüşümlü sıkın


中文 交替拧紧

한국어 번갈아 가며 조이십시오.

日本語 交互に締め付けてください。

ไทย ชั้้นในแบบสลับ



7




480R/754




480





*
3 Nm




*





*
≈ 3 Nm




750




4 Nm




i




1




i



1



i



1

2

2

2



THULE
SWEDEN
**ONE
KEY
SYSTEM**



544		(x4)
596		(x6)
588		(x8)
NA 510		(x10)
EUR		
ASIA 452		(x12)



WW ▶ Thule Sweden AB, Box 69, 330 33 Hillerstorp, SWEDEN
NA ▶ Thule Inc., 42 Silvermine Road, Seymour, Connecticut 06483, USA

info@thule.com
customer.service@thule.com

www.thule.com

503-1212-02